Author Index

Abramov, S., Aharonowitz, Y., Harnik, M., Lamed, R. and Freeman, A.: Continuous stereospecific 4-3-keto-steroid reduction by PAAH bean-entrapped Clostridium paraputrificum cells, 982
Adams, J. M.: *See* Salter, G. J., 419
Aeschlimann, A., Di Stasi, L. and von Stockar, U.: Continuous production of lactic acid from whey permeate by Lactobacillus helveticus in two chemostats in series, 926
Agerkvist, I., Eriksson, L. and Enfors, S.-O.: Selective flocculation with Chitosan in *Escherichia coli* disintegrates: effects of pH and nuclease treatment, 584
Aharonowitz, Y.: *See* Abramov, S., 982
Aleksieva, P. and Tchorbanov, B.: Production of acid proteinases by *Humicola lutea* mycelium immobilized in polyurethane sponge, 994
Alexander, M. A. and Jeffries, T. W. Respiratory efficiency and metabolite partitioning as regulatory phenomena in yeasts, 2
Al-Rubeai, M. A., Musgrave, S. C., Lambe, C. A., Walker, A. G., Evans, N. H. and Spier, R. E.: Methods for the estimation of the number and quality of animal cells immobilized in carbohydrate gels, 459
Amin, G. and Doelle, H. W.: Production of high ethanol concentrations from glucose using *Zymomonas mobilis* entrapped in a Vertical Rotating Immobilized Cell Reactor, 443
An, G.: *See* Hogue, R. S., 533
Andersson, E. and Hahn-Hägerdal, B.: Bioconversions in aqueous two-phase systems, 242
Andrews, A. T.: *See* Vulfson, E., 950, Beecher, J. E., 955
Andrews, P. C.: *See* Ho, N. W. Y., 33
Anton, D. L.: *See* Seip, J. E., 361
Archibald, F., Paice, M. G. and Jurasek, L.: Decolorization of kraft bleachery effluent chromophores by *Coriolus* (*Trametes*) *versicolor*, 846
Ash, L. A. : *See* Salter, G. J., 419
Ashton, S.: *See* Scragg, A., 292
Asther, M. and Meunier, J.-C.: Increased thermal stability of Bacillus licheniformis α-amylase in the presence of various additives, 902

Bahsitta, H.-P.: *See* Stehle, P., 56
Bailey, F. J., Warf, R. T. and Maigetter, R. Z.: Harvesting recombinant microbial cells using crossflow filtration, 647
Bailey, J. E.: *See* Galazzo, J. L., 162
Bailey, M. J.: Effect of temperature on Polygalacturonase production by *Aspergillus niger*, 622
Bailey, M. J. and Pessa, E.: Strain and process for production of polygalacturonase, 266
Bales, V.: *See* Stefuca, V., 830
Ballerini, D.: *See* Honorat, A., 515
Baneyx, F. Schmidt, C. and Georgiou, G.: Affinity immobilization of a genetically engineered bifunctional hybrid protein, 337
Barbeyron, T.: *See* Boyen, C., 885
Barbotin, J.-N.: *See* Huang, J., 933
Barclay, C. D., Moore, D. M., Lander, S. R. and Legge, R. L.: Heat-denaturation kinetics of lignin peroxidases from *Phanerochaete chrysosporium*, 778
Barker, S. A.: *See* Gray, C. J., 800
Barnby, F. M., Morpeth, F. F. and Pyle, D. L.: Endopolygalacturonase production from *Kluyveromyces marxianus*. I. Resolution, purification, and partial characterisation of the enzyme, 891
Barton, M. J., Hamman, J. P., Fichter, K. C. and Calton, G. J.: Enzymatic resolution of (R,S)-2-(4-hydroxyphenoxy) propionic acid, 577
Bautista, D.: *See* Galindo, E., 642
Beecher, J. E.: *See* Vulfson, E., 950
Beecher, J. E., Andrews, A. T. and Vulfson, E. N.: Glycosidases in organic solvents: II. Transgalactosylation catalysed by polyethylene glycol-modified B-galactosidase, 955
Bell, G.: *See* Khan, S. A., 453
Benaiges, M. D., López-Santin, J. and Solà, C.: Production of 5′-ribonucleotides by enzymatic hydrolysis of RNA, 86
Berkman, T., Bozoglu, T. F. and Özilgen, M.: Mixed culture growth kinetics of *Streptococcus thermophilus* and *Lactobacillus bulgaricus*, 138
Bermudez, J. J.: *See* Jimeno, A., 387
Berry, D. R.: *See* Okolo, B. N., 783
Bertheau, Y.: *See* Boyen, C., 885
Bhattacharya, P., Sarkar, P. and Mukherjea, R. N.: Reaction kinetics model for chalcopyrite bioleaching using *Thiobacillus ferrooxidans*, 873
Bond, P.: *See* Scragg, A., 292
Bonnerjea, J.: *See* Keshavarz, E., 494; Milburn, P., 527; Takesawa, Y., 184
Boudrant, J.: Microbial processes for ascorbic acid biosynthesis: a review, 322
Boyen, C., Bertheau, Y., Barbeyron, T. and Kloareg, B.: Preparation of guluronate lyase from *Pseudomonas alginovora* for portoplast isolation in *Laminaria*, 885
Bozoglu, T. F.: *See* Berkman, T., 138
Brazier, A. J., Lilly, M. D., and Herbert, A. B.: Toluene *cis*-glycol synthesis by *Pseudomonas putida*; kinetic data for reactor evaluation, 90
Briedis, D. M.: *See* Reiken, S. R., 736
Brito, L. C.: *See* Martins, L. O., 794
Broda, P.: *See* Roberts, J. C., 210
Bronnenmeier, K. and Staudenbauer, W. L.: Cellulose hydrolysis by a highly thermostable endo-1,4-β-glucanase (Avicelase I) from *Clostridium stercorarium*, 431
Brown, A. J.: *See* Salter, G. J., 419
Bryan, W. L.: Solid-state fermentation of sugars in sweet sorghum, 437
Bryan, W. L. and Silman, R.W.: Rolling-sphere viscometer for *in situ* monitoring of shake-flask fermentations, 818
Buckmann, A. F.: *See* Ottolina, G., 596
Buday, Z. Linden, J. C. and Karim, M. N.: Improved acetone-butanol fermentation analysis using subambient HPLC column temperature, 24

Cabasso, I.: *See* Cornwell, K. L., 916
Calton, G. J.: *See* Barton, M. J., 577
Canovas, M.: *See* Lozano, P., 499
Canovas-Diaz, M.: *See* Jimeno, A., 387
Carrea, G.: *See* Ottolina, G. 596
Cassells, J. M. and Halling, P. J.: Protease-catalysed peptide synthesis in aqueous-organic two-phase systems: Reactant precipitation and interfacial inactivation, 755
Chakrabarty, S. L.: *See* Roy, S. K., 710
Chamy, R., Nuñez, M. J. and Lema, J. M.: Optimization of the hardening treatment of *S. cerevisiae* bioparticles, 749
Chen, K.-C. and Wey, H.-C.: 11β-Hydroxylation of coxtexolone by *Curvularia lunata*, 305 Dissolution-enzyme kinetics of 11β-hydroxylation of cortexolone by *Curvularia lunata*, 616
Clark, D. S.: *See* Marg, G. A., 367
Clarke, J. H.: *See* Hazlewood, G. P., 656
Converse, A. O.: *See* Tanaka, M., 190
Cooper, D. G.: *See* Tobin, J. M., 591
Cornwell, K. L., Tinland-Butez, M.-F., Tardone, P. J., Cabasso, I. and Hammel, K. E.: Lignin degradation and lignin peroxidase production in cultures of Phanerochaete chrysosporium immobilized on porous ceramic supports, 916
Cottenceau, G., Dherbomez, M., Lubochinsky, B. and Letellier, F.: Immobilization and treatment of *Streptococcus faecalis* for the continuous conversion of arginine into citrulline, 355
Cowan, D.: *See* Takesawa, Y., 184
Cowan, D. A.: *See* Owusu, R. K., 374
Crook, S.: *See* Smith, M. R., 945
Croteau, R.: *See* Miyazaki, J. H., 841

Danielsson, B.: *See* Stefuca, V., 830

Das, G. and Prabhu, K. A.: Immobilization of cane amylase and acid phosphatase on tricalcium phosphate (TCP) gel, 625
Davidson, K.: *See* Hazlewood, G. P., 656
de Alteriis, E., Scardi, V., Masi, P. and Paraschandola, P.: Mechanical stability and diffusional resistance of a polymeric gel used for biocatalyst immobilization, 539
Deed, A., Seviour, R. J. and Swift, I. E.: Production of carotenoids by protoplasts of the fungus Acremonium diospyri, 940
de Gunst, M. C. M., Harkes, P. A. A., Val, J., van Zwet, W. R. and Libbenga, K. R.: Modelling the growth of a batch culture of plant cells: a corpuscular approach, 61
Delattre, M.: *See* Odier, E., 447
Demain, A. L.: *See* Shoham, Y., 330
Desgranges, C. and Durand, A.: Effect of pCO_2 on growth, conidiation, and enzyme production in solid-state culture on *Aspergillus niger* and *Trichoderma viride* TS, 546
Deshpande, M. V.: *See* Kelkar, H. S., 510
Dey, S. K.: *See* Roy, S. K., 710
Dherbomez, M.: *See* Cottenceau, G., 355
Dhulster, P., *See* Huang, J., 933
DiCosimo, R.: *See* Seip, J. E., 361
Di Stasi, L.: *See* Aeschlimann, A., 926
Doelle, H. W.: *See* Amin, G., 443
Dror, Y.: *See* Tor, R., 299
D'Souza, S. F.: *See* Godbole, S. S., 214
Dube, D. K.: *See* Sharma, P., 132
Dunnill, P.: *See* Keshavarz, E., 494; Keshavarz Moore, E., 764; Milburn, P., 527; Osborne, S. J., 281
Durand, A.: *See* Desgranges, C., 546
Durand, H.: *See* Jain, S., 691
Durrant, A. J.: *See* Hazlewood, G. P., 656

Edwards, R.L.: *Agaricus bisporus* or *Agaricus brunnescens*?, 153
Eisenthal, R.: *See* Hubble, J., 196
Eklund, R., Galbe, M. and Zacchi, G.: Optimization of temperature and enzyme concentration in the enzymatic saccharification of steam-pretreated willow, 225
Ellis, P. A.: *See* Williams, A. C., 260
Enfors, S.-O.: *See* Agerkvist, I., 584
England, R.: *See* Hubble, J., 196
Eriksson, L.: *See* Agerkvist, I., 584
Evans, N. H.: *See* Al-Rubeai, M. A., 459

Fager, S. K.: *See* Seip, J. E., 361
Ferenczy, L.: *See* Mink, M., 612
Fichter, K. C.: *See* Barton, M. J., 577
Fiechter, A.: *See* Muheim, A., 204
Flygare, S., Wikström, P., Johansson, G. and Larsson, P.-O.: Magnetic aqueous two-phase separation in preparative applications, 95
Flynn, N. J.: *See* Roberts, J. C., 210
Fong, W. F.: *See* Mak, Nik, 965
Forster, C. F.: Book review, 236, 237 *See also* Goodwin, J. A. S., 877; Khan, A. R., 788; King, R. O., 109
Freeman, A.: *See* Abramov, S., 982; Tor, R., 299
Furst, P.: *See* Stehle, P., 56

Gadd, G. M.: *See* Jones, R. P., 402; Meikle, A. J., 865
Galazzo, J. L. and Bailey, J. E.: Fermentation pathway kinetics and metabolic flux control in suspended and immobilized *Saccharomyces cerevisiae*, 162
Galbe, M.: *See* Eklund, R., 225
Galindo, E., Bautista, D., Garcia, J. L. and Quintero, R.: Microbial sensor for penicillins using a recombinant strain of *Escherichia coli*, 642
Gao, P. J.: *See* Ma, D. B., 631
Garcia, J. L.: *See* Galindo, E., 642
Gavagan, J. E.: *See* Seip, J. E., 361
Gemeiner, P.: *See* Stefuca, V., 830
Georgiou, G.: *See* Baneyx, F., 337
Gilbert, H. J.: *See* Hazlewood, G. P., 656
Giraldo-Gomez, E.: *See* Switzenbaum, M. S., 722
Godbole, S. S., Kubal, B. S. and D'Souza, S. F. Hydrolysis of concentrated sucrose syrups by invertase immobilized on anion exchanger waste cotton thread, 214
Goel, R.: *See* Singh, A., 464
Goldberg, M., Thomas, D. and Legoy, M.-D.: Water activity as a key parameter of synthesis reactions: The example of lipase in biphasic (liquid/solid) media, 976
Goodwin, J. A. S., Wase, D. A. J. and Forster, C. F.: Effects of nutrient limitation on the anaerobic upflow sludge blanket reactor, 877
Graves, D. A. and Greenbaum, E.: Anaerotolerant strain of *Chlamydomonas moewusii* selected using extended anaerobiosis, 898
Gray, C. J., Narang, J. S. and Barker, S. A.: Immobilization of lipase from *Candida cylindraceae* and its use in the synthesis of menthol esters by transesterification, 800
Greenbaum, E.: *See* Graves, D. A., 898
Grey, D.: *See* Scragg, A., 292
Grootjen, D. R. J., Meijlink, L. H. H. M., van der Lans, R. G. J. M. and Luyben, K. Ch. A. M.: Cofermentation of glucose and xylose with immobilized *Pichia stipitis* and *Saccharomyces cerevisiae*, 860
Grootjen, D. R. J., van der Lans, R. G. J. M. and Luyben, K. Ch. A. M.: Effects of the aeration rate on the fermentation of glucose and xylose by *Pichia stipitis* CBS 5773, 20
Grosz, R.: *See* Seip, J. E., 361
Guilbault, G. G.: *See* Prusak-Sochaczewski, E., 173; Xu, Y., 104
Gupta, J. K.: *See* Sharma, P., 132

Hagedorn, J. and Kargi, F.: Coiled tube membrane bioreactor for cultivation of hybridoma cells producing monoclonal antibodies, 824
Hahn-Hagerdal, B.: *See* Andersson, E., 242
Hall, J.: *See* Hazlewood, G. P., 656
Halling, P. J.: *See* Cassells, J. M., 755; Khan, S. A., 453
Hamman, J. P.: *See* Barton, M. J., 577
Hammell, K. E.: *See* Cornwell, K. L., 916
Harkes, P. A. A.: *See* de Gunst, M. C. M., 61
Harnik, M.: *See* Abramov, S., 982
Haurat, G., Massé, F., Souppe, J.: Crude extracts of yeasts in biocatalysed organic reactions: The example of *Pichia pastoris*, 46
Hazlewood, G. P., Davidson, K., Clarke, J. H., Durrant, A. J., Hall, J. and Gilbert, H. J.: Endoglucanase E, produced at high level in *Escherichia coli* as a *lacZ'* fusion protein, is part of the *Clostridium* thermocellum cellulosome, 656
Herbert, A.: *See* Hubble, J., 196
Herbert, A. B.: *See* Brazier, A. J., 90
Hickey, R. F.: *See* Switzenbaum, M. S., 722
Ho, N. W. Y., Lin, F. P., Huang, S., Andrews, P. C., and Tsao, G. T.: Purification, characterization, and amino terminal sequence of xylose reductase from *Candida shehatae*, 33
Hoare, M.: *See* Keshavarz, E., 494; Keshavarz Moore, E., 764; Milburn, P., 527; Takesawa, Y., 184
Hogue, R. S., Lee, J. M. and An, G.: Production of a foreign protein product with genetically modified plant cells, 533
Holtke, H.-J.: *See* Mink, M., 612
Honorat, A., Monot, F. and Ballerini, D.: Synthesis of L-alanine and L-valine by enzyme systems from *Bacillus megaterium*, 515
Hooijmans, C. M., Ras, C. and Luyben, K. Ch. A. M.: Determination of oxygen profiles in biocatalyst particles by means of a combined polarographic oxygen microsensor, 178
Hu, W.-S.: *See* Philippids, G. P., 854; Sen, S., 571
Huang, J., Dhulster, P., Thomas, D. and Barbotin, J.-N.: Agitation rate effects on plasmid stability in immobilized and free-cell continuous cultures of recombinant E. coli, 933
Huang, S.: *See* Ho, N. W. Y., 33
Hubble, J., Eisenthal, R., Herbert, A., Tarr, I. and England, R.: Synthesis and characterization of soluble dextran–adenosine phosphate complexes: Kinetic effects of coenzyme loading, 196

Iborra, J. L.: *See* Jimeno, A., 387; Lozano, P., 499
Irwin, D. C.: *See* Walker, L. P., 378
Izumi, Y.: *See* Nath, P. K., 28

Jain, S., Parriche, M., Durand, H. and Tiraby, G.: Production of polysaccharidases by a cellulase-pectinase hyperproducing mutant (Po16) of *Penicillium occitanis*, 691
James, R.: *See* Salter, G. J., 419
Jeffries, T. W.: *See* Alexander, M. A., 2
Jensen, S. E.: *See* Rollins, M. J., 40
Jimeno, A., Bermúdez, J. J., Cánovas-Diaz, M., Manjón, A. and Iborra, J. L.: Methanogenic biofilm growth studies in an anaerobic fixed-film reactor, 387

Johansson, G.: *See* Flygare, S., 95
Johnson, K. G. and Ross, N. W.: Enzymic properties of B-mannanase from Polyporus versicolor, 960
Johnston, J. R.: *See* Okolo, B. N., 783
Johri, B. N.: *See* Singh, A., 464
Jones, R. P. and Gadd, G. M.: Ionic nutrition of yeast—physiological mechanisms involved and implications for biotechnology, 402
Jurasek, L.: *See* Archibald, F., 846

Kargi, F.: *see* Hagedorn, J., 824; Shaughnessy, T. S., 669; Shaughnessy, T. S., 676
Karim, M. N.: *See* Buday, Z., 24
Kashiwagi, Y.: *See* Kuba, Y., 72
Keen, J. N.: *See* Yazdi, M. T., 120
Kelkar, H. S., Shankar, V. and Deshpande, M. V.: Rapid isolation and regeneration of *Sclerotium rolfsii* protoplasts and their potential application for starch hydrolysis, 510
Kell, D. B.: *See* Salter, G. J., 419
Kern, J. H. A.: *See* Kierkels, J. G. T., 760
Keshavarz, E., Bonnerjea, J., Hoare, M. and Dunnill, P.: Disruption of a fungal organism, *Rhizopus nigricans*, in a high-pressure homogenizer, 494
Keshavarz, Moore, E., Hoare, M. and Dunnill, P.: Disruption of baker's yeast in a high-pressure homogenizer: New evidence on mechanism, 764
Kessler, C.: *See* Mink, M., 612
Khan, A. R. and Forster, C. F.: An investigation into the stability of foams related to the activated sludge process, 788
Khan, A. W., Lamb, K. A. and Overend, R. P.: Comparison of natural hemicellulose and chemically acetylated xylan as substrates for the determination of acetyl-xylan esterase activity in *Aspergilli*, 127
Khan, S. A., Halling, P. J. and Bell, G.: Measurement and control of water activity with an aluminium oxide sensor in organic two-phase reaction mixtures for enzymic catalysis, 453
Kierkels, J. G. T., Vleugels, L. F. W., Kern, J. H. A., Miejer, E. M. and Kloosterman, M.: Lipase kinetics: On-line measurement of the interfacial area of emulsions, 760
Kim, K. S., Pai, H. S., Lee, S. Y. and Ryu, D. D. Y.: Effect of intercalating dyes on the production of antibiotics by *Micromonospora rosaria* and *Micromonospora purpurea*, 564
Kimura, Y., Nakanishi, K. and Matsuno, R.: Enzymatic synthesis of the precursor of Leu-enkephalin in water-immiscible organic solvent systems, 272
King, R. O. and Forster, C. F.: Effects of sonication on activated sludge, 109
Kloareg, B.: *See* Boyen, C., 885
Kloosterman, M.: *See* Kierkels, J. G. T., 760
Knob, R. J.: *See* Reiken, S. R., 736
Kokitkar, P. B. and Tanner, R. D.: Comparing liquid, solid, and gas-fluidized bed fermentations, 552
Koyama, H., Ujiie, M., Taniguchi, J. and Sasaki, T.: Purification and some properties of xylan-hydrolysing enzymes from *Robillarda* sp. Y-20, 218
Kristiansen, B.: *See* McNeil, B., 521
Kuan, S. S.: *See* Xu, Y., 104
Kuba, Y., Kashiwagi, Y., Okada, G., and Sasaki, T.: Production of cello-oligosaccharides by enzymatic hydrolysis in the presence of activated carbon, 72
Kubal, B. S.: *See* Godbole, S. S., 214
Kubicek, C. P.: *See* Messner, R., 685
Kula, M. R.: *See* Steinke, D., 836
Kumar, S. U., Rehana, F. and Nand, K.: Production of an extracellular thermostable calcium-inhibited α-amylase by *Bacillus licheniformis* MY 10, 714
Kurek, B., Monties, M. and Odier, E.: Influence of the physical state of lignin on its degradability by the lignin peroxidase of *Phanerochaete chrysosporium*, 771
Kurillova, L.: *See* Stefuca, V., 830

Lamb, K. A.: *See* Khan, A. W., 127
Lambe, C. A.: *See* Al-Rubeai, M. A., 459
Lamed, R., *See* Abramov, S., 982
Lander, S. R.: *See* Barclay, C. D., 778
Larsson, P.-O.: *See* Flygare, S., 95
Law, B. A.: *See* Vulfson, E., 950
Lazić, M. L.: *See* Veljkovic, V. B., 706
Leaver, J.: *See* Osborne, S. J., 281
Lee, J. M.: *See* Hogue, R. S., 533
Lee, S. Y.: *See* Kim, K. S., 564
Legge, R. L.: *See* Barclay, C. D., 778
Legoy, M.-D.: *See* Goldberg, M., Villaume, I., 506
Leisola, M. S. A.: *See* Muheim, A., 204
Lema, J. M.: *See* Chamy, R. 749
Letellier, F.: *See* Cottenceau, G., 355
Libbenga, K. R.: *See* de Gunst, M. C. M., 61
Lilly, M. D.: *See* Brazier, A. J., 90; Williams, A. C., 260
Lin, F. P., *See* Ho, N. W. Y., 33
Linden, J. C.: *See* Buday, Z., 24; Weinberg, Z. G., 921
Lopez-Santin, J.: *See* Benaiges, M. D., 86
Lozano, P., Manjón, A., Iborra, J. L., Cánovas, M. and Romojaro, F.: Kinetic and operational study of a cross-flow reactor with immobilized pectolytic enzymes, 499
Lubochinsky, B.: *See* Cottenceau, G., 355
Luong, J. H. T.: *See* Nguyen, A., 663; Prusak-Sochaczewski, E., 173
Luyben, K. Ch. A. M.: *See* Grootjen, D. R. J., 20; Grootjen, D. R. J.; 860; Hooijmans, C. M., 178

Ma, D. B., Gao, P. J. and Wang, Z. N.: Preliminary studies on the mechanism of cellulase formation by *Trichoderma pseudokoningii* S-38, 631
Maigetter, R. Z.: *See* Bailey, F. J., 647
Mak, N. K., Fong, W. F. and Wong-Leung, Y. L.: Improved fermentative production of *Monascus* pigments in roller bottle culture, 965
Manjon, A.: *See* Jimeno, A., 387; Lozano, P., 499
Marg, G. A. and Clark, D. S.: Activation of glucose isomerase by divalent cations: evidence for two distinct metal-binding sites, 367
Martins, L. O., Brito, L. C. and Sá-Correia, I.: Roles of $Mn2^+$, $Mg2^+$ and $Ca2^+$ on alginate biosynthesis by *Pseudomonas aeruginosa*, 794
Masi, P.: *See* de Alterii, E., 539
Masse, F.: *See* Haurat, G., 46
Matsuno, R.: *See* Kimura, Y., 272; Tanaka, M., 190
Matthews, M. S.: *See* Phillips, R. S., 731
McCarthy, A. J.: *See* Roberts, J. C., 210
McNeil, B. and Kristiansen, B.: Temperature effects on polysaccharide formation by *Aureobasidium pullulans* in stirred tanks, 521
Mehmetoğlu, Ü.: Effective diffusion coeffficient of sucrose in calcium alginate gel, 124
Meijer, E. M.: *See* Kierkels, J. G. T., 760
Meijlink, L. H. M.: *See* Grootjen, D. R. J., 860
Meikle, A. J., Gadd, G. M. and Reed, R. H.: Manipulation of yeast for transport studies: Critical assessment of cultural and experimental procedures, 865
Messner, R. and Kubicek, C. P.: Evidence for a single specific β-glucosidase in cell walls from *Trichoderma reesei* QM9414, 685
Meunier, J. C.: *See* Asther, M., 902
Milburn, P., Bonnerjea, J., Hoare, M. and Dunnill, P.: Selective flocculation of nucleic acids, lipids, and colloidal particles from a yeast cell homogenate by polyethyleneimine, and its scale-up, 527
Mink, M., Höltke, H.-J., Kessler, C. and Ferenczy, L.: Endonuclease-free, protoplast-forming enzyme preparation and its application in fungal transformation, 612
Miyazaki, J. H. and Croteau, R.: Immobilization of cyclase enzymes for the production of monoterpenes and sesquiterpenes, 841
Monot, F.: *See* Honorat, A., 515
Monter, B.: *See* Stehle, P., 56
Monties, M.: *See* Kurek, B., 771
Moore, D. M., *See* Barclay, C. D., 778
Morpeth, F. F.: *See* Barnby, F. M., 891
Mountfort, D. O., Pybus, V. and Wilson, R.: Metal ion-mediated accumulation of alcohols during alkane oxidation by whole cells of *Methylosinus trichosporium*, 343
Muheim, A., Waldner, R., Leisola, M. S. A. and Fiechter, A.: An extracellular aryl-alcohol oxidase from the white-rot fungus *Bjerkandera adusta*, 204
Mukherjea, R. N.: *See* Bhattacharya, P., 873
Musgrave, S. C.: *See* Al-Rubeai, M. A., 459

Naglak, T. J. and Wang, H. Y.: Recovery of a foreign protein from the periplasm of *Escherichia coli* by chemical permeabilization, 603

Nakanishi, K.: *See* Kimura, Y., 272
Nand, K.: *See* Kumar, S. U., 714
Narang, J. S.: *See* Gray, C. J., 800
Narendranathan, T. J.: *See* Williams, A. C., 260
Narsimhan, G.: *See* Uraizee, F., 232; Uraizee, F., 315
Nath, P. K., Izumi, Y. and Yamada, H.: NADH production from NAD^+ with a formate dehydrogenase system involving immobilized cells of a methylotrophic *Arthrobacter* strain, 28
Nelson, G. A.: *See* Petersen, G. R., 255
Neufeld, R. J.: *See* Tobin, J. M., 591
Nguyen, A. L. and Luong J. H. T.: The development and application of a new affinity partitioning system for enzyme isolation and purification, 663
Nigam, P.: Investigation of some factors important for solid-state fermentation of sugar cane bagasse for animal feed production, 808
Nigam, S. C.: *See* Sakoda, A., 349
Nunez, M. J.: *See* Chamy, R., 749
Nyns, E.-J.: Biogas: The real fuel for developing countries, 151

Oda, Y. and Ouchi, K.: Hybridization of Bakers' yeast by the rare-mating method to improve leavening ability in dough, 989
Odier, E. and Delattre, M.: Multiple lignin peroxidases of *Phanerochaete chrysosporium* INA-12, 447
Okada, G.: *See* Kuba, Y., 72
Okolo, B. N., Johnston, J. R. and Berry, D. R.: Kinetics of alcohol tolerance of distilling yeast, 783
Olson, E.: *See* Phillips, R. S., 731
Osborne, S. J., Leaver, J., Turner, M. K. and Dunnill, P.: Correlation of biocatalytic activity in an organic-aqueous two-liquid phase system with solvent concentration in the cell membrane, 281
Ottolina, G., Carrea, G., Riva, S. and Bückmann, A. F.: Coenzymatic properties of low molecular-weight and macromolecular N^6-derivatives of NAD^+ and $NADP^+$ with dehydrogenases of interest for organic synthesis, 596
Ouchi, K.: *See* Oda, Y., 989
Overend, R. P.: *See* Khan, A. W., 127
Owusu, R. K. and Cowan, D. A.: Biocatalysis in organic solvent systems using thermostable enzymes: esterase-catalysed transesterification of Z-L-tyrosine *p*-nitrophenyl ester, 374
Ozilgen, M.: *See* Berkman, T., 138

Pai, H. S.: *See* Kim, K. S., 564
Paice, M. G.: *See* Archibald, F., 846
Parascandola, P.: See de Alterii, E., 539
Parriche, M.: *See* Jain, S., 691
Patel, R.: *See* Vulfson, E., 950
Patil, B. G.: *See* Patil, S. G., 141
Patil, S. G. and Patil, B. G.: Acceleration of ethanol production activity of yeast in cane molasses fermentation by the addition of fungal mycelium, 141
Pessa, E.: *See* Bailey, M. J., 266
Petersen, G. R., Schubert, W. W., Richards, G. F. and Nelson, G. A.: Yeasts producing exopolysaccharides with drag-reducing activity, 255
Philippidis, G. P., Schottel, J. L. and Hu, W. S.: Kinetics of mercuric reduction in intact and permeabilized *Escherichia coli* cells, 854
Phillips, R. S., Matthews, M. S., Olson, E. and Von Tersch, R. L.: Structural and stereochemical studies of esterification of aromatic amino acids by α-chymotrypsin in alcohol solvents, 731
Pidgeon, C.: Solid phase membrane mimetics: Immobilized artificial membranes, 149
Prabhu, K. A.: *See* Das, G., 625
Prusak-Sochaczewski, E., Luong, J. H. T. and Guilbault, G. G.: Development of a piezoelectric immunosensor for the detection of *Salmonella typhimurium*, 173
Pybus, V.: *See* Mountfort, D. O., 343
Pyle, D. L.: *See* Barnby, F. M., 891

Quintero, R.: *See* Galindo, E., 642

Radford, A.: *See* Yazdi, M. T., 116; Yazdi, M. T., 120
Raha, S. K.: *See* Roy, S. K., 710
Ras, C.: See Hooijmans, C. M., 178
Ratledge, C.: *See* Smith, M. R., 945
Reed, R. H.: *See* Meikle, A. J., 865
Rehana, F.: *See* Kumar, S. U., 714
Reiken, S. R., Knob, R. J. and Briedis, D. M.: Evaluation of intrinsic immobilized kinetics in hollow fiber reactor systems, 736
Richards, G. F.: *See* Petersen, G. R., 255
Riva, S.: *See* Ottolina, G., 596
Roberts, J. C., McCarthy, A. J., Flynn, N. J. and Broda, P. Modification of paper properties by the pretreatment of pulp with *Saccharomonospora viridis* xylanase, 210
Rodriguez, A. C.: *See* Teixeira, A. A., 469
Rollins, M. J., Jensen, S. E., Wolfe, S., Westlake, D. W. S.: Oxygen derepresses deacetoxycephalosporin C synthase and increases the conversion of penicillin N to cephamycin C in *Streptomyces clavuligerus*, 40
Romojaro, F.: *See* Lozano, P., 499
Ross, N. W.: *See* Johnson, K. G., 960
Roy, S. K., Raha, S. K., Dey, S. K. and Chakrabarty, S. L.: Effect of temperature on the production and location of cellulase components in *Myceliophthora thermophila* D-14 (ATCC 48104), 710
Rucka, M. and Turkiewicz, B.: Ultrafiltration membranes as carriers for lipase immobilization, 52
Rutic, D. J.: *See* Veljkovic, V. B., 706
Ryu, D. D. Y.: *See* Kim, K. S., 564

Sa-Correia, I.: *See* Martins, L. O., 794
Saha, B. C. and Zeikus, J. G.: Preparation of high conversion syrups by using thermostable amylases from thermoanaerobes, 229
Sakoda, A., Nigam, S. C. and Wang, H. Y.: Protein separation using membrane-encapsulated soluble ligand conjugates, 349
Salter, G. J., Kell, D. B., Ash, L. A., Adams, J. M., Brown, A. J. and James, R.: Hydrodynamic deposition: a novel method of cell immobilization, 419
Sarkar, P.: *See* Bhattacharya, P., 873
Sasaki, T.: *See* Koyama, H., 218; Kuba, Y., 72
Scardi, V.: *See* de Alterii, E., 539
Schmidt, C.: *See* Baneyx, F., 337
Schottel, J. L., *See* Philippidis, G. P., 854
Schubert, W. W.: *See* Petersen, G. R., 255
Scragg, A. H.: Large-scale cultivation of *Helianthus annuus* cell suspensions, 82
Scragg, A. H., Ashton, S., York, A., Bond, P., Stepan-Sarkissian, G. and Grey, D.: Growth of *Catharanthus roseus* suspensions for maximum biomass and alkaloid accumulation, 292
Seip, J. E., Fager, S. K., Grosz, R., Gavagan, J. E., DiCosimo, R. and Anton, D. L.: Enzymatic synthesis of cytidine 5′-diphosphate using pyrimidine nucleoside monophosphate kinase, 361
Sen, S., Hu, W.-S. and Srienc, F.: Flow cytometric study of hybridoma cell culture: correlation between cell surface fluorescence and IgG production rate, 571
Sengupta, S.: *See* Sengupta, Saswati, 309
Sengupta, Saswati and Sengupta, S.: β-Glucosidase production by the mycelial culture of the mushroom *Termitomyces clypeatus*, 309
Seviour, R. J.: *See* Deed, A., 940
Shankar, V.: *See* Kelkar, H. S., 510
Sharma, P., Gupta, J. K., Vadehra, D. V. and Dube, D. K.: Purification and properties of an endoglucanase from a *Bacillus* isolate, 132
Shaughnessy, T. S. and Kargi, F.: Growth and product inhibition kinetics of T-cell hybridomas producing lymphokines in batch and continuous culture, 669
Transient behavior of T-cell hybridomas in response to changes in metabolite concentrations in continuous culture, 676
Shoham, Y. and Demain, A. L.: Effect of medium composition on the maintenance of a recombinant plasmid in *Bacillus subtilis*, 330
Silman, R. W.: *See* Bryan, W. L., 818
Singh, A., Goel, R. and Johri, B. N.: Production of cellulolytic enzymes by immobilized *Sporotrichum thermophile*, 464
Smith, M.R., Ratledge, C. and Crook, S.: Properties of cyanogen bromide-activated, Agarose-immobilized catechol 1,2-dioxygenase from freeze-dried extracts of Nocardia sp. NCIB 10503, 945
Sola, C.: *See* Benaiges, M. D., 86
Souppe, J.: *See* Haurat, G., 46
Spier, R. E.: Genetically Modified Organisms in Commercial Use, 915

Editorial: Small molecules, large molecules, and the new biotechnology, 562
See also Al-Rubeai, M. A., 459
Srienc, F.: *See* Sen, S., 571
Stankovic, M. Z.: *See* Veljkovic, V. B., 706
Starodub, M. E.: *See* Trevors, J. T., 653
Staudenbauer, W. L.: *See* Bronnenmeier, K., 431
Štefuca, V., Gemeiner, P., Kurillová, L., Danielsson, B. and Báleš, V.: Application of the enzyme thermistor to the direct estimation of intrinsic kinetics using the saccharose-immobilized invertase system, 830
Stehle, P., Bahsitta, H.-P., Monter, B. and Fürst, P.: Papain-catalysed synthesis of dipeptides: A novel approach using free amino acids as nucleophiles, 56
Steinke, D. and Kula, M. R.: Application of carboxypeptidase C for peptide synthesis, 836
Stepan-Sarkissian, G.: *See* Scragg, A., 292
Swift, I. E.: *See* Deed, A., 940
Switzenbaum, M. S., Giraldo-Gomez, E. and Hickey, R. F.: Monitoring of the anaerobic methane fermentation process, 722
Szakacs, G.: *See* Weinberg, Z. G., 921

Takesawa, Y., Cowan, D., Bonnerjea, J. and Hoare, M.: Heat-induced precipitation of cell homogenates: An investigation of the recovery of thermostable proteins, 184
Tanaka, M., Matsuno, R. and Converse, A. O.: *n*-Butylamine and acid-steam explosion pretreatments of rice straw and hardwood: Effects on substrate structure and enzymatic hydrolysis, 190
Taniguchi, J.: *See* Koyama, H., 218
Tanner, R. D.: *See* Kokitkar, P. B., 552
Tardone, P. J.: *See* Cornwell, K. L., 916
Tarr, I.: *See* Hubble, J., 196
Tchorbanou, B.: *See* Aleksieva, P., 994
Teixeira, A. A. and Rodriguez, A. C.: Microbial population dynamics in bioprocess sterilization, 469
Tengerdy, R. P.: *See* Weinberg, Z. G., 921
Thomas, D.: *See* Goldberg, M., 976; Huang, J., 933; Villaume, I., 506
Thomas, O. R. T.: *See* White, G. F., 697
Thomas, O. R. T. and White, G. F.: Immobilization of the surfactant-degrading bacterium Pseudomonas C12B in polyacrylamide gel. II. Optimizing SDS-degrading activity and stability, 969
Tinland-Butez, M.-F.: *See* Cornwell, K. L., 916
Tiraby, G.: *See* Jain, S., 691
Tobin, J. M., Cooper, D. G. and Neufeld, R. J.: Investigation of the mechanism of metal uptake by denatured *Rhizopus arrhizus* biomass, 591
Tor, R., Dror, Y. and Freeman, A.: Enzymatically catalysed transesterifications of acryl and methacryl monomeric esters, 299
Trevors, J. T. and Starodub, M. E.: Electroporation and expression of the broad host-range plasmid pRK2501 in *Azotobacter vinelandii*, 653
Tsao, G. T.: *See* Ho, N. W. Y., 33
Turkiewicz, B.: *See* Rucka, M., 52
Turner, M. K.: *See* Osborne, S. J., 281

Ujiie, M.: *See* Koyama, H., 218
Uraizee, F. and Narsimhan, G.: Foam fractionation of proteins and enzymes: I. Applications, 232
Foam fractionation of proteins and enzymes. II. Performance and modelling, 315

Vadehra, D. V.: *See* Sharma, P., 132
Val, J.: *See* de Gunst, M. C. M., 61
van der Lans, R. G. J. M.: See Grootjen, D. R. J., 20; Grootjen, D. R. J., 860
van Zwet, W. R.: *See* de Gunst, M. C. M., 61
Veljković, V. B., Lazić, M. L., Rutić, D. J. and Stanković, M. Z.: Further studies on inhibitory effects of juniper berry oils on ethanol fermentation, 706
Villaume, I., Thomas, D. and Legoy, M.-D.: Catalysis may increase the stability of an enzyme: the example of horse liver alcohol dehydrogenase, 506
Vleugels, L. F. W.: *See* Kierkels, J. G. T., 760
von Stockar, U.: *See* Aeschlimann, A., 926
Von Tersch, R. L.: *See* Phillips, R. S., 731
Vulfson, E. N.: *See* Beecher, J. E., 955
Vulfson, E. N., Patel, R., Beecher, J. E., Andrews, A. and Law, B. A.: Glycosidases in organic solvents: I. Alkyl-B-glucoside synthesis in a water-organic two-phase system, 950

Waldner, R.: *See* Muheim, A., 204
Walker, A. G.: *See* Al-Rubeai, M. A., 459
Walker, L. P., Wilson, D. B. and Irwin, D. C.: Measuring fragmentation of cellulose by *Thermomonospora fusca* cellulase, 378
Wang, H. Y.: *See* Naglak, T. J., 603; Sakoda, A., 349
Wang, Z. N.: *See* Ma, D. B., 631
Ward, O. P. and Young, C. S.: Reductive biotransformations of organic compounds by cells or enzymes of yeast, 482
Warf, R. T.: *See* Bailey, F. J., 647
Wase, D. A. J.
Book review, 236
See also Goodwin, J. A. S., 877
Weinberg, Z. G., Szakacs, G., Linden, J. C. and Tengerdy, R. P.: Recovery of protein and chlorophyll from alfalfa enzyme hydrolysis (ENLAC), 921
Welsh, F. W. and Williams, R. E.: Lipase-mediated production of ethyl butyrate and butyl butyrate in nonaqueous systems, 743
Westlake, D. W. S.: *See* Rollins, M. J., 40
Wey, H.-C.: *See* Chen, K.-C., 305; Chen, K.-C., 616
White, G. F.: *See* Thomas, O. R. T., 969
White, G. F. and Thomas, O. R. T.: Immobilization of the surfactant-degrading bacterium *Pseudomonas* C12B in polyacrylamide gel beads: I. Effect of immobilization on the primary and ultimate biodegradation of SDS, and redistribution of bacteria within beads during use, 697
Wikstrom, P.: *See* Flygare, S., 95
Williams, A. C., Woodley, J. M., Ellis, P. A., Narendranathan, T. J. and Lilly, M. D.: A comparison of pig liver esterase and *Bacillus subtilis* as catalysts for the hydrolysis of menthyl acetate in stirred two-liquid phase reactors, 260
Williams, R. E.: *See* Welsh, F. W., 743
Wilson, D. B.: *See* Walker, L. P., 378
Wilson, R.: *See* Mountfort, D. O., 343
Wolfe, S.: *See* Rollins, M. J., 40
Wong-Leung, Y. L.: *See* Mak, Nik, 965
Woodley, J. M.: *See* Williams, A. C., 260
Woodward, J. R.: *See* Yazdi, M. T., 116; Yazdi, M. T., 120

Xu, Y., Guilbault, G. G. and Kuan, S. S.: Fast responding lactose enzyme electrode, 104

Yamada, H.: *See* Nath, P. K., 28
Yazdi, M. T., Radford, A., Keen, J. N. and Woodward, J. R.: Cellulase production by *Neurospora crassa*: Purification and characterization of cellulolytic enzymes, 120
Yazdi, M. T., Woodward, J. R. and Radford, A.: Cellulose production by *Neurospora crassa*: The enzymes of the complex and their regulation, 116
York, A.: *See* Scragg, A., 292
Young, C. S.: *See* Ward, O. P., 482

Zacchi, G.: *See* Eklund, R., 225
Zeikus, J. G.: *See* Saha, B. C., 229

Subject Index

Acetaldehyde, 437
Acetic acid, 437
Acetone-butanol fermentation, 24
Acetyl-xylan esterase, 127
Acid proteinases, 994
Acremonium, 940
Activated Agarose, 945
Activated carbon, 72
Activated sludge, 109, 788
Adsorption, 214
Affinity adsorption, 349
Affinity immobilization, 337

Affinity partitioning, 663
Affinity polymer, 663
Agarose, 178
Aggregates, 82
Agitation rate, 933
Alanine dehydrogenase, 515
Alcohol accumulation, 343
Alcohol tolerance, 783
Alfalfa silage, 921
Alginate biosynthesis, 794
Alginate biosynthetic enzymes, 794
Alginate-lyase, 885
Alkyl-β-glucoside synthesis, 950
Alternate respiration, 2
Amino acid complexes, 755
Amino acids, 56
Amino acid synthesis, 515
α–Amylase, 902
Amylase, 625
Amylases, 229
Amylolytic enzymes, 510
Anaerobic, 898
Anaerobic digestion, 877
Anaerobic treatment, 722
Anaerobic trickling filter, 387
A. nidulans, 612
Animal feed, 808
Antibiotics, 564
Antibody, 173
Apparent viscosity, 818
Aqueous/organic biphasic systems, 272
Aqueous two-phases, 663
Aqueous two-phase separation, 95
Aqueous two-phase systems, 242
Arginine deiminase, 355
Arthrobacter sp., 28
Aryl-alcohol oxidase, 204
L-Ascorbic acid, 322
Aspen, 127
Aspergillus clavatus, 127
Aspergillus japonicus, 127
Aspergillus nidulans, 127
Aspergillus niger, 127, 266, 546, 622
Aspergillus versicolor, 127
Assay methods, 459
Aureobasidium, 818
Aureobasidium pullulans, 521
Azotobacter, 653

Bacillus coagulans, 367
Bacillus licheniformis, 714
Bacillus megaterium, 515
Bacillus sp. PDV, 132
Bacillus subtilis, 260, 330
Bacteria, 322
Bagasse, 808
Bakers' yeast, 706, 764
Batch culture, 61
Batch fermentation, 40
Bead cellulose, 830
Biocatalysis, 46
Bioconversions, 242
Biodegradation, 697, 969
Biofilm growth, 387
Bioleaching, 873
Biological treatment, 846
Bioreactors, 82, 292, 916
Biosensor, 642
Bioseparation, 349
Biosurfactants, 788
Biosynthesis, 355
Biotransformation, 482
Biphasic systems, 755
Bjerkandera adusta, 204
Borax, 527

Calcium alginate, 124
Calcium-inhibited thermostable α-amylase, 714
Candida cylindraceae, 800, 976
Carbonyl reduction, 482
Carboxylate, 591
Carboxypeptidase C, 836
Carotenoids, 940
Catalysis, 506
Catechol 1,2-dioxygenase, 945
Catechol-dioxygenase, 933
Cation efflux, 402
CAT production, 533
C. boidinii, 255
Cell culture, 571
Cell debris, 527, 584
Cell disruption, 603, 764
Cell division, 61
Cell harvesting, 647
Cellodextrins, 431
Cello-oligosaccharides, 72
Cellulase, 378, 431, 631, 710
Cellulases, 190
Cellulose, 378
Celluloytic enzymes, 464
Cell wall bound enzymes, 685
Cephamycin C, 40
Ceramic particles, 419
Chalcopyrite, 873
Chemically acetylated xylan, 127
Chemical permeabilization, 603
Chemostat, 926
Chiral synthesis, 482
Chitosan, 584
Chlamydomonas moewusii, 898
Chlorolignins, 846
α–Chymotrypsin, 272, 731
Citrulline, 355
Citrus fruit, 836
Clostridium paraputrificum, 982
Clostridium stercorarium, 431
Clostridium thermocellum, 656
CMC, 132
Co^{2+}, 367
Coenzyme loading, 196
Colloidal lignin, 771
Color development, 305
Complexation mechanism, 591
Conidiation, 546
Constitutive cellobiase, 309
Constitutive cellulase synthesis, 631
Constitutive maltose fermentability, 989
Continuous conversion, 355
Copper ore, 873
Corn syrups-sweetener, 229
Corpuscular model, 61
Cortexolone, 305, 616
Crabtree effect, 2
Crossflow filtration, 647
Cross-flow reactor, 499
Crude extracts, 46
Curvularia lunata, 305, 616
Cytidine 5'-diphosphate, 361

Decolorization, 846
Dehydrogenases, 596
Denaturation kinetics, 778
2-deoxy-D-glucose, 865
Depolymerization, 771
Derepression, 40
Detergents, 697, 969
Dextran-ATP complexes, 196
Dextrans, 437
Diauxie, 860
Differential reactor, 830
Differentiation, 61
Diffusion coefficient, 124
Dipeptides, 56
Disruption, 494
Dissolution-enzyme kinetics, 616
Distilling, 783
Divalent cations, 402
Downstream processing, 584
Drag reduction, 255

EC 3.2.1.8., 218
E. coli, 647
Effluents, 846
Electroporation, 653
Empirical dissolution model, 616
Endoglucanase, 116, 120, 431, 656
Endoglucanase (E.C. 3.2.1.4), 132
Endopolygalacturonase, 891
Endoxylanase, 218
ENLAC, 921
Enumeration, 138
Enzymatic hydrolysis, 86
Enzymatic peptide synthesis, 56, 272, 836
Enzymatic resolution, 577
Enzyme, 322
Enzyme deactivation, 499
Enzyme denaturation, 778
Enzyme electrodes, 104
Enzyme expression, 305
Enzyme immobilization, 539
Enzyme induction, 116, 305
Enzyme kinetics, 960
Enzyme mechanism, 836
Enzyme membrane, 52
Enzyme overproduction, 794
Enzyme production, 546
Enzyme purification, 132
Enzymes, 46, 225, 242
Enzyme thermistor, 830
Escherichia coli, 584, 603, 656
Esterase, 374
Esterification, 743, 976
Ester synthesis, 800
Ethanol, 141, 419, 437, 749
Ethanol fermentation, 20, 860
Ethanol fermentation, inhibition of, 706
Ethanol production, 443
Ethyl methacrylate, 299
Exoglucanase, 116, 120
Exopolysaccharides, 255
Extracellular enzymes, 116
Extracellular polymers, 109

F_{420}, 387
Fast Protein Liquid Chromatography (FPLC), 691
Fenchol biosynthesis, 841
Fermentation, 116, 141, 322, 647
Fermenter, 533
Filamentous, 494
Flocculation, 584
Floc strength, 109
Fluorescent dyes, 459
Flow cytometry, 571
Foam formation, 788
Foeniculum vulgare, 841
Formate dehydrogenase, 28
Fragmentation, 378
Fruit juice clarification, 499
Function, 337
Fungal mycelium, 141
Fungi, 846

β–D–galactosidase, 584
β–galactosidase, 184, 955

Galactosylation in organic solvents, 955
Gel strength, 539
Genetic engineering, 322
Genetic modification, 533
Glucomannan, 960
Glucose dehydrogenase, 515
Glucose fermentation, 162
Glucose isomerase 367
β–glucosidase, 116, 120, 309, 685, 950
Glutaraldehyde, 214, 459
Glycerol, 437
Glyceryl monomethacrylate, 299
Glycidyl acrylate, 663
Glycidyl butyrate, 760
Granulation, 877
Growth, 546
Growth model, 61

Hardening, 749
Helianthus annus suspension cultures, 82
High conversion syrups, 229
High ethanol concentrations, 443
High-pressure homogenizer, 494, 764
Hollow fiber reactor, 736
Horse liver alcohol dehydrogenase, 506
HPLC, 24
Humicolw lutea, 994
Hybridoma, 571
Hybridoma culture, 824
Hydrodynamic forces, 419
Hydrogen, 898
Hydrogen peroxide, 846
Hydrolysis, 225, 691
Hydroxyethyl methacrylate, 299
11β-hydroxylase, 305
11β-hydroxylation, 616

Immobilization, 52, 355, 625, 749, 841, 860, 994
Immobilized anaerobic cells, 982
Immobilized bacteria, 697, 933, 969
Immobilized cells, 28, 162, 419, 459
Immobilized enzymes, 272, 361, 736, 800, 945
Immobilized fungi, 916
Immobilized invertase, 830
Immobilized L-lactate 2-monooxygenase, 178
Immobilized mycelia, 464
Immobilized pectinases, 499
Immunosensor, 173
Impact ring, 764
Impingement, 764
Insolubilized gelatin, 539
Intercalating dyes, 564
Interfacial area, 760
Intracellular binding, 402
Intrinsic enzyme kinetics, 736
Intrinsic kinetics, 830
Invertase, 214
Ionic compartmentation, 402
Ionic nutrition, 402
Ion transport, 402
Iron oxide particles, 95
Isopropylacrylamide, 663
Isotherms, 591
Isozymes, 447

Juniper berry oil, inhibitory effects of, 706
Juniper communis, 706

Δ^4-3-keto-steroid reduction, 982
Kinetics, 138, 596, 760
Kinetics of hybridoma cells, 669, 676
Kluyveromyces marxianus, 891
Kraft pulping, 846

Laccase, 846
Lactic acid, 437, 926
β–Lactamase, 603
Lactobacillus helveticus, 926
Lactose, 104
Laminaria sp., 885
Leavening ability, 989
Leuconostoc dextranicum, 437
Leu-enkephalin, 272
Lignin, 190
Lignin, ^{14}C labelled lignin, 771
Lignin, milled wood, 771
Ligninase, 778
Lignin degradation, 916
Lignin peroxidase, 447, 771, 778
Lignin peroxidases, 916
Lignins, 846
Lignocelluloses, 190
Lipase, 52, 743, 760, 800, 976
Lipase-catalysed esterification, 453
Lipid, 527
Location, 710
Lymphokines, 669, 676

Macromolecular NAD(P)$^+$, 596
Magnetic separation, 95
Mannitol, 437
β–Mannanase, 960
Membrane bioreactors, 824
Membrane-encapsulated ligand, 349
Membrane reactor, 499
Membranes, 281
Menthyl acetate, 260
Mercuric reduction, 854
Metabolic control, 162
Metabolic incorporation, 402
Metal-binding sites, 367
Metal ions, 343
Metal uptake, 591
Methane fermentation, 722
Methanogenic biomass, 387
Methyl methacrylate, 299
Methylosinus trichosporium, 343
Methylotroph, 28
Methylotrophs, 255, 343
Microbial cell entrapment, 539
Microbial cells, 242
Microbial exopolysaccharide, 794
Micromonospora purpurea, 564
Micromonospora rosaria, 564
Mixed culture, 138
Mn^{2+}, 367
Model, 2
Modeling, 138, 736
Modified paper properties, 210
Monascus pigments, 965
Monoclonal antibody, 571
Monoclonal antibody production, 824
Monoterpene cyclase, 841
Monovalent cations, 402
M. thermophila D-14, 710
MTT, 459
Mushroom, 309
Mutagenesis, 691

N^6-(2-hydroxy-3-trimethylammonium-propyl) -NAD$^+$, 596
N-acetyl-L-tryptophan esters, 731
NADH production, 28
NADH regeneration, 515
Native hemicellulose, 127
4-nitrophenyl acetate, 127
Nitrite, 402
NMR, 162
Nojirimycin, 685
Nonaqueous medium, 743
N-trifluoroacetyl-L-phenylalanine, 731
Nucleic acid, 527
Nucleoside monophosphate kinase, 361
Nutrients, 877
Nutrition, 846

Organic media, 976
Organic solvent catalyses, 374
Organic solvents, 902
Oxidoreductases, 482
Oxygen, 40, 846, 898
Oxygen microsensor, 178
Oxygen profiles, 178
Oxygen uptake, 20, 82

Papain, 56, 272
Particle sizer, 760
Patchoulol biosynthesis, 841
pCO_2 effect, 546
Pectic enzymes, 891
PEG-modification, 955
Penicillin, 642
Penicillium occitanis, 691
Pepsin, 755
Periplasmic proteins, 603
Permeabilization, 854
Peroxidase, 846
Phanerochaete chrysosporium, 447, 771, 778, 916
pH effect, 743
pH effects, 402
Phosphatase, 625
Phosphate, 402
Phosphates, 591
5'-phosphodiesterase, 86
Pichia pastoris, 46
Pichia stipitis, 20, 860
Piezoelectric crystal, 173
Pig liver esterase, 260, 299
Plant cell, 61
Plant cell culture, 292
Plant cells, 533
Plant cell wall degrading enzymes, 921
Plasmid, 653
Plasmid instability, 330
Plasmid stability, 933
P:O, 2
Pogostemon cablin, 841
Pol6 mutant, 691
Polyacrylamide-hydrazide, 982
Poly(ethylene glycol), 596
Polyethyleneimine, 214, 527
Polygalacturonase, 266, 622
Polysaccharidases, 691
Polysaccharide formation, 521
Polysaccharides, 818
Polyurethane, 994
Polyurethane forms, 443
Pore size, 190
Porous ceramics, 916
Power-law equation, 818
Pretreatment, 190
Productivity, 622
Progesterone 11α-hydroxylase, 281
Protein, 527
Protein A-β-lactamase, 337
Protein and chlorophyll recovery, 921
Protein recovery, 603
Protoplast-forming enzyme, 612

Protoplast immobilization, 510
Protoplast isolation, 510, 885
Protoplast regeneration, 510
Protoplasts, 940
Pseudomonas aeruginosa, 794
Pseudomonas alginovora, 885
Pseudomonas putida, 90
Pseudoplastic, 818
Pullulans, 818
Pullularia, 818
Pulp bleachability, 960
Pulp pretreatment, 210
Purification, 120
Putative mutant, 898

$Q_{cmf}(F_{420})$, 387

(R,S)-2-(4-hydroxyphenoxy)propionic acid, 577
Rare mating, 989
Reaction rate, 755
Reactions in organic solvent, 272
Reactive polymer, 663
Reactor evaluation, 90
Recombinant, 647
Recombinant *E. coli*, 642
Recombinant plasmid, 330
Respiratory capacity, 2
Rhizopus arrhizus, 591
Rhizopus nigricans, 281, 494
Rhodococcus rubra, 788
5′-ribonucleotides, 86
RNA, 86
Robillarda, 218
Roller bottle culture, 965
Rolling-ball viscometer, 818

Saccharification, 225
Saccharomonospora viridis, 210
Saccharomyces, 647
Saccharomyces cerevisiae, 402, 419, 437, 860, 865, 989
Salmonella, 173
Scatchard analyses, 591
S. cerevisiae, 482, 612
Sensors, 104
Serpentine accumulation, 292
Sesquiterpene cyclase, 841
Shear stress, 499
Solid-state fermentation, 437, 546, 808
Soluble ligand conjugate, 349
Solute accumulation, 865
Solvent analysis, 24
Solvent damage, 281
Sonication, 109
Specific growth rate, 631, 933
Specific xylan removal, 210
Sporotrichum thermophile, 464
S. rolfsii, 510
Stability, 132, 337, 506
Steam-pretreatment, 225
Stereoselectivity, 731
Stereospecificity, 731
Stokes' law, 818
Streptococcus faecalis, 355
Streptomyces, 40
Stress selection, 898
Submerged fermentation, 266
Submerged/unsubmerged cultures, 387
Substrate analysis, 24
Substrate effects, 743
Substrate inhibition, 854
Substrate specificity, 132
Sucrose, 124
Sucrose hydrolysis, 214
Sugar cane, 625
Sugar cane molasses, 141
Sulfate, 402
Sulfite, 402
Surfactants, 697, 969
Suspension density, 865
Sweet sorghum, 437

T-cell hybridomas, 669, 676
Temperature, 225, 521, 622
Temperature effects, 743
Termitomyces clypeatus, 309
Thermal denaturation, 184
Thermal treatment, 355
Thermoanerobes, 229
Thermolysin, 272, 755
Thermomonospora fusca, 378
Thermophilic enzyme, 374
Thermostability, 431, 902
Thermostabilizing additives, 902
Thermostable amylases, 229
Thermostable proteins, 184
Thermus aquaticus, 184
Thiobacillus ferrooxidans, 873
Toluene *cis*-glycol, 90
Toluene oxidation, 90
Toxicity, 783
Transesterification, 299, 374
Transformation, 612, 653
Transport, 865
Tricalcium phosphate, 625
Trichoderma cellulase, 72
Trichoderma pseudokoningii, 631
Trichoderma reesei, 685
Trichoderma viride TS, 546
Trypsin, 663
Two-liquid phase biocatalysis, 260, 281
Two-phase system, 760
Two xylanases, 218

UASB reactors, 877
Uptake model, 591

Valine dehydrogenase, 515
Valve geometry, 764
Variant, 898
Viability, 783

Waste cotton thread, 214
Waste mycelium, 141
Wastewater treatment, 722
Water activity, 976
Water-organic two-phase system, 950
Water partial pressure, 453
Whey permeate, 926
White rot fungi, 808
White-rot fungus, 204
Whole cell immobilization, 443
Willow, 225

x-Amylase, 902
x-chymotrypsin, 272, 731
Xylanase, 210
Xylose, 20, 860
β–xylosidase, 685

Yeast, 46, 322, 402, 437, 749, 783, 865
Yeast biotechnology, 402
Yeast homogenates, 184
Yeasts, 255

Z. mobilis, 443



STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

ENZYME AND MICROBIAL TECHNOLOGY	0 1 4 1 0 7 2 9	Oct. 1, 1990	
MONTHLY	8525		

80 Montvale Avenue, Stoneham (Middlesex County) MA 02180-2420

Butterworth-Heinemann, 80 Montvale Avenue, Stoneham, MA 02180

Christopher M. Hawkins, Butterworth-Heinemann, 80 Montvale Avenue, Stoneham, MA 02180

Prof. S. Hay, School of Chemistry, Georgia Institute of Technology, Atlanta, GA 30332

Susan L. Patterson, Butterworth-Heinemann, 80 Montvale Avenue, Stoneham, MA 02180

Full Name	Complete Mailing Address
Butterworth-Heinemann	80 Montvale Avenue, Stoneham, MA 02180
A wholly owned division of Reed Publishing (USA) Inc.	255 Washington Street, Newton, MA 02158

Full Name	Complete Mailing Address
NONE	N/A

	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	1225	1200
B. Paid and/or Requested Circulation 1. Sales through dealers and carriers, street vendors and counter sales	N/A	N/A
2. Mail Subscription (Paid and/or Requested)	705	700
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	715	700
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies	84	73
E. Total Distribution (Sum of C and D)	799	817
F. Copies Not Distributed 1. Office use, left over, unaccounted, spoiled after printing	426	383
2. Return from News Agents	N/A	N/A
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	1225	1200

I certify that the statements made by me above are correct and complete.

Vice President and Publishing Director